

## THE REPORT ON THE INFLUENCE AND EFFECTS OF AGROSTEMIN® APPLICATION ON SUNFLOWER

*(Helianthus annuus L.)*




**CONTROL****AGROSTEMIN®**

It can be seen on the photographs enclosed that the plants treated with **AGROSTEMIN®** are more powerful, with the more developed both above – ground part and the root of plant. Magnification of flower head is accompanied by an increased load capacity of the stem plants (thicker stem - without increasing in height).



fertiliser 0 % / without **AGROSTEMIN®**

Flower heads diameter: 13 cm and 13 cm





fertiliser 0 % + **AGROSTEMIN®**

Flower heads diameter: 22 cm and 19 cm





fertiliser 50 % / without **AGROSTEMIN**®

Flower head diameter: 14 cm and 17 cm





fertiliser 50 % + **AGROSTEMIN®**

Flower heads diameter: 17 cm and 16 cm





fertiliser 100 % / without **AGROSTEMIN®**


Flower heads diameter: 16 cm and 19 cm






fertiliser 100 % + **AGROSTEMIN®**

Flower heads diameter: 21 cm and 24 cm






**YIELD**  
( in bags of 60kg /ha )







**AGROSTEMIN**



*Dr. Danilo Gajić*

**[www.agrostemin.com](http://www.agrostemin.com)**